



MATERIAL SAFETY DATA SHEET

HAZARD RATINGS HMIS

Health 2
Flammability 1
Reactivity 0
PPE X

1 CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product G65649
MSDS Name ULTIMATE TOWELS 6 TUB/CS
CAS # Mixture
Generic Description Miscellaneous
Manufacturer BOSTIK FINDLEY, INC.
211 Boston Street
Middleton , MA 01949 USA

24 Hour Emergency Assistance

Phone: 1-800-227-0332

General Assistance

Phone: 1-978-777-0100

MSDS Assistance

Phone: 1-978-777-0100

2 COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
DIMETHYL GLUTARATE	1119-40-0	15 - 40
DIMETHYL ADIPATE	627-93-0	10 - 30

3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is irritating to the eyes and skin. Will cause redness and/or swelling. Primary Routes of Exposure: inhalation.

POTENTIAL HEALTH EFFECTS

SKIN CONTACT: This product may cause irritation, redness and/or swelling to the skin.

EYE CONTACT: This product may cause irritation to the eyes.

INHALATION: Vapor overexposure may cause irritation.

INGESTION: No hazard known at this time.

TARGET ORGANS

None known for product as a whole.

4 FIRST AID MEASURES

SKIN

For skin contact, wash immediately with soap and water.

EYE

Immediately flush eyes with plenty of water for at least 15 minutes.

INHALATION

Remove to fresh air.

INGESTION

No harmful effect is anticipated.

NOTES TO PHYSICIAN

Treat symptomatically and supportively. Contact Bostik Findley to determine whether any additional information is available.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Use dry chemical, carbon dioxide, or foam. Water spray (fog).

DUST EXPLOSION HAZARD

None Known

SENSITIVITY TO MECHANICAL IMPACT

None Known

SENSITIVITY TO STATIC DISCHARGE

None Known

FIRE FIGHTING EQUIPMENT/INSTRUCTIONS

Firefighters should wear full protective clothing including self contained breathing apparatus.

Flash Point > 200 F (> 93 C)

6 ACCIDENTAL RELEASE MEASURES

EMERGENCY ACTION

Appropriate safety measures and protective equipment should be used. See Section 8. Do not discharge to lakes, streams, ponds, or sewers. Dispose of in compliance with local, state, and federal regulations.

SPILL OR LEAK PROCEDURE

Scrape up paste and place in steel drums that are in good condition. Thoroughly clean area where spill occurred.

CLEAN-UP PROCEDURES

Deposit into appropriate containers for disposal. Follow the guidelines of 29CFR 1910.120 for dealing with a spill of any size. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill, including the material spilled, the quantity of the spill and the area in which the spill occurred. Scrape up the spilled material.

7 HANDLING & STORAGE

HANDLING

Use this product with adequate ventilation. Avoid breathing vapors or mists of this product. Avoid getting this material into contact with your skin.

STORAGE

Store in a cool, dry, well-ventilated area away from heat, ignition sources and direct sunlight. Water contamination should be avoided. Cool location should be 60-80 degrees F or 15-30 degrees C.

EMPTY CONTAINER PRECAUTION

Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

Use local exhaust or general ventilation where the potential exists to exceed the PEL or TLV exposure limits.

EYE PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

Wear goggles or safety glasses with side shields.

SKIN PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

Use of overalls and long sleeves is recommended.

RESPIRATORY PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

If ventilation is not sufficient to effectively prevent buildup of vapors, appropriate NIOSH/MSHA respiratory protection must be provided

9 PHYSICAL & CHEMICAL PROPERTIES

Solubility In Water	< 0
Target Solids	100 %
Density	1 g/cc
Odor Threshold	NA
Octanol/Water Coefficient	NA
Odor	N/D
Color	Yellow to clear
Physical State	Paste
Freeze Protect	No

10 STABILITY & REACTIVITY

STABILITY/INCOMPATIBILITY

This is a stable material.

HAZARDOUS REACTIONS/DECOMPOSITION PRODUCTS

Unknown due to the complex nature of this material. Fumes from complete or incomplete combustion may include carbon dioxide, carbon monoxide, water vapor, acetic acid, formaldehyde, oxides of nitrogen and silicon, and a wide variety of innocuous or toxic fumes.

MSDS Number	25613	Product	G65649
Label Number	25613	NA = Not Available	ND = Not Determined

HAZARDOUS POLYMERIZATION

Will not occur.

CONDITIONS TO AVOID

Keep away from oxidizing materials. Avoid contact with water or humid air since Acetic acid is formed upon contact.

11 TOXICOLOGICAL INFORMATION

CHRONIC EFFECTS

No long term health effects known to Bostik Findley.

12 ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

No data available for this product.

13 DISPOSAL CONSIDERATIONS

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

WASTE DISPOSAL

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. When intending to dispose of this material, the user is advised that this product would not be classified as a Hazardous Waste under U.S. Federal Regulations in effect at the time this MSDS was created.

14 TRANSPORT INFORMATION

COMMENTS

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

Proper Shipping Name Non-Regulated

DOT Restrictions Not Applicable

15 REGULATORY INFORMATION

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

FEDERAL REGULATIONS

All components are on the U.S. EPA TSCA Inventory List.

Based on an evaluation of the components used, this product does contain hazardous ingredients identified as per 29 CFR 1910.1200.

STATE REGULATIONS

If this product contains any ingredients listed under California Proposition 65, they will be noted below:

INTERNATIONAL REGULATIONS

This is a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).
Class D Division 2 Sub-division B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.
EINECS Status not determined.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES

Not Regulated

SARA 311/312 HAZARD CATEGORIES

Immediate Hazard	No
Delayed Hazard	No
Fire Hazard	No
Pressure Hazard	No
Reactivity Hazard	No

SARA 313 TOXIC CHEMICALS

Not Regulated

16 OTHER INFORMATION

DISCLAIMER

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik Findley, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Issue Date	03-Jan-2002	Supersedes New
Prepared By	Russell Hardenber	